

SUMA MULTI-CONC D2 CONC

Revision: 2026-06-01

Version: 02.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: SUMA MULTI-CONC D2 CONC

1.2 Recommended use and restrictions on use

Identified uses:

All purpose cleaner

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited
1612 Centre Road, Springvale,
VIC 3171, AUSTRALIA
Telephone: 1800 647 779 (toll free)

Product information:

Email: aucustserv@solenis.com

Website: products.solenis.com/en-AU

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B

Serious eye damage, Category 1

Acute toxicity, oral, Category 4

Specific target organ toxicity (single exposure), Category 3

2.2 Label elements



Signal word: Danger

Hazard statements:

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Prevention statement(s):

P233 - Keep container tightly closed.

P260 - Do not breathe vapours.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P301 + P312 - IF SWALLOWED: Call a POISON CENTRE, doctor or physician if you feel unwell.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

SUMA MULTI-CONC D2 CONC

P330 - Rinse mouth.

P363 - Wash contaminated clothing before reuse.

Storage statement(s):

P403 - Store in a well-ventilated place.

P405 - Store locked up.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 1.5

Not classified as hazardous

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS#	EC number	Weight percent
alkyl alcohol ethoxylate	69011-36-5	[4]	30-60
2-aminoethanol	141-43-5	205-483-3	3-10
monoethanolamine alkylbenzenesulphonate	85480-55-3	287-335-8	3-10
1-methoxy-2-propanol	107-98-2	203-539-1	1-3
Propan-2-ol	67-63-0	200-661-7	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

[4] Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Inhalation:**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities:

Shower and eyewash facilities should be considered in a workplace where necessary. Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

May cause respiratory irritation.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center:

Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures

SUMA MULTI-CONC D2 CONC

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2X

2 - Fine water spray.

X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Do not breathe spray. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
2-aminoethanol	3 ppm 7.5 mg/m ³	6 ppm 15 mg/m ³	
1-methoxy-2-propanol	100 ppm 369 mg/m ³	150 ppm 553 mg/m ³	
Propan-2-ol	400 ppm 983 mg/m ³	500 ppm 1230 mg/m ³	

Biological limit values, if available:

8.2 Exposure controls

SUMA MULTI-CONC D2 CONC

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.
If available, please refer to the product information sheet for application and handling instructions.
Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:
Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls:	If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel.
Personal protective equipment	
Eye / face protection:	Safety glasses or goggles (AS/NZS 1337.1). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) or full-face mask (EN 136) with particle filter P2 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 1.5

Appropriate engineering controls:	Use only in well ventilated areas.
Appropriate organisational controls:	No special requirements under normal use conditions.
Personal protective equipment	
Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
Body protection:	No special requirements under normal use conditions
Respiratory protection:	Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.
Environmental exposure controls:	No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical state: Liquid	
Colour: Clear , Dark , Blue	
Odour: Surfactant	
Odour threshold: Not applicable	
pH: ≈ 11.2 (neat)	ISO 4316
Dilution pH: ≈ 10 (1.5 %)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): > 60 °C	closed cup
Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)	Weight of evidence
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Lower and upper explosion limit/flammability limit (%): Not determined	

SUMA MULTI-CONC D2 CONC

Vapour pressure: Not determined
Relative density: ≈ 1.045 (20 °C)
Relative vapour density: -
Particle characteristics: No data available.
Solubility in / Miscibility with water: Fully miscible
Partition coefficient: n-octanol/water No information available.

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Kinematic viscosity: Not determined
Explosive properties: Not explosive. Vapours may form explosive mixtures with air.
Oxidising properties: Not oxidising.

DM-006 Viscosity - Additional
 Weight of evidence

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 1000
 ATE - Dermal (mg/kg): >2000
 ATE - Inhalatory, vapours (mg/l): >20

Substance data: where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD ₅₀	> 300-2000	Rat	OECD 423 (EU B.1 tris)	
isotridecanol, ethoxylated	LD ₅₀	> 300-2000	Rat	Weight of evidence	
2-aminoethanol	LD ₅₀	1089	Rat	OECD 401 (EU B.1)	
monoethanolamine alkylbenzenesulphonate	LD ₅₀	1515	Rat	Method not given	
1-methoxy-2-propanol	LD ₅₀	4016	Rat	OECD 401 (EU B.1)	
Propan-2-ol	LD ₅₀	5840	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
---------------	----------	---------------	---------	--------	-------------------

alkyl alcohol ethoxylate	LD ₅₀	> 2000	Rabbit	Method not given	
isotridecanol, ethoxylated	LD ₅₀	> 2000	Rabbit	Weight of evidence	
2-aminoethanol	LD ₅₀	2504	Rabbit	OECD 402 (EU B.3)	
monoethanolamine alkylbenzenesulphonate	LD ₅₀	2504	Rabbit	Method not given	
1-methoxy-2-propanol	LD ₅₀	> 15800	Rabbit	OECD 402 (EU B.3)	
Propan-2-ol	LD ₅₀	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
isotridecanol, ethoxylated		No data available			
2-aminoethanol	LC ₅₀	> 1.4 No mortality observed	Rat	Method not given	4
monoethanolamine alkylbenzenesulphonate	LC ₅₀	> 5		Method not given	4
1-methoxy-2-propanol	LC ₅₀	> 25.5	Rat	OECD 403 (EU B.2)	4
Propan-2-ol	LC ₅₀	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
isotridecanol, ethoxylated	Not irritant	Rabbit	OECD 404 (EU B.4)	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
monoethanolamine alkylbenzenesulphonate	No data available			
1-methoxy-2-propanol	Not irritant	Rat	OECD 404 (EU B.4)	
Propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
isotridecanol, ethoxylated	Severe damage	Rabbit	OECD 405 (EU B.5)	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
monoethanolamine alkylbenzenesulphonate	No data available			
1-methoxy-2-propanol	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	
Propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
isotridecanol, ethoxylated	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
monoethanolamine alkylbenzenesulphonate	No data available			
1-methoxy-2-propanol	No data available			
Propan-2-ol	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
isotridecanol, ethoxylated	Not sensitising	Guinea pig	Method not given	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
monoethanolamine alkylbenzenesulphonate	No data available			
1-methoxy-2-propanol	Not sensitising	Guinea pig	Method not given	
Propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
isotridecanol, ethoxylated	No data available			

2-aminoethanol	No data available			
monoethanolamine alkylbenzenesulphonate	No data available			
1-methoxy-2-propanol	No data available			
Propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Mutagenicity**

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
isotridecanol, ethoxylated	No evidence for mutagenicity	Method not given Weight of evidence	No evidence for mutagenicity, negative test results	Method not given Weight of evidence
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
monoethanolamine alkylbenzenesulphonate	No data available		No data available	
1-methoxy-2-propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
Propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
isotridecanol, ethoxylated	No evidence for carcinogenicity, weight-of-evidence
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
monoethanolamine alkylbenzenesulphonate	No data available
1-methoxy-2-propanol	No evidence for carcinogenicity, negative test results
Propan-2-ol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
isotridecanol, ethoxylated	NOAEL	Maternal toxicity	> 250	Rat	Weight of evidence		Not toxic for reproduction
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
monoethanolamine alkylbenzenesulphonate			No data available				
1-methoxy-2-propanol			No data available				No evidence for reproductive toxicity
Propan-2-ol			No data available				

Repeated dose toxicity**Sub-acute or sub-chronic oral toxicity**

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
isotridecanol, ethoxylated		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
monoethanolamine alkylbenzenesulphonate		No data available				
1-methoxy-2-propanol		No data available				
Propan-2-ol		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				

SUMA MULTI-CONC D2 CONC

isotridecanol, ethoxylated		No data available				
2-aminoethanol		No data available				
monoethanolamine alkylbenzenesulphonate		No data available				
1-methoxy-2-propanol		No data available				
Propan-2-ol		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
isotridecanol, ethoxylated		No data available				
2-aminoethanol		No data available				
monoethanolamine alkylbenzenesulphonate		No data available				
1-methoxy-2-propanol		No data available				
Propan-2-ol		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
isotridecanol, ethoxylated	Oral	NOAEL	50	Rat	Weight of evidence	24 month(s)	Effects on body weight and food/water consumption Effects on organ weights	
2-aminoethanol			No data available					
monoethanolamine alkylbenzenesulphonate			No data available					
1-methoxy-2-propanol			No data available					
Propan-2-ol			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
isotridecanol, ethoxylated	Not applicable
2-aminoethanol	Respiratory tract
monoethanolamine alkylbenzenesulphonate	No data available
1-methoxy-2-propanol	No data available
Propan-2-ol	Central nervous system

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
isotridecanol, ethoxylated	Not applicable
2-aminoethanol	No data available
monoethanolamine alkylbenzenesulphonate	No data available
1-methoxy-2-propanol	Kidneys
Propan-2-ol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

SUMA MULTI-CONC D2 CONC

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC ₅₀	> 1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
isotridecanol, ethoxylated	LC ₅₀	> 10 - 100	<i>Cyprinus carpio</i>	OECD 203 (EU C.1) Weight of evidence	96
2-aminoethanol	LC ₅₀	349	<i>Cyprinus carpio</i>	OECD 203, semi-static	96
monoethanolamine alkylbenzenesulphonate	LC ₅₀	2.22	<i>Pimephales promelas</i>	OECD 203, semi-static	96
1-methoxy-2-propanol	LC ₅₀	> 1000	<i>Oncorhynchus mykiss</i>	Method not given	96
Propan-2-ol	LC ₅₀	> 100	<i>Pimephales promelas</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Daphnia magna</i> Straus	OECD 202, static	48
isotridecanol, ethoxylated	EC ₅₀	> 10 - 100	<i>Daphnia magna</i> Straus	OECD 202, static	48
2-aminoethanol	EC ₅₀	27.04	<i>Daphnia magna</i> Straus	OECD 202, static	48
monoethanolamine alkylbenzenesulphonate		No data available			
1-methoxy-2-propanol	EC ₅₀	21100 - 25900	<i>Daphnia magna</i> Straus	Method not given	48
Propan-2-ol	EC ₅₀	> 100	<i>Daphnia magna</i> Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201, static	72
isotridecanol, ethoxylated	EC ₅₀	> 10 - 100	<i>Desmodesmus subspicatus</i>	OECD 201, static Weight of evidence	72
2-aminoethanol	EC ₅₀	2.8	<i>Selenastrum capricornutum</i>	OECD 201 (EU C.3)	72
monoethanolamine alkylbenzenesulphonate		No data available			
1-methoxy-2-propanol	EC ₅₀	> 1000	<i>Pseudokirchneriella subcapitata</i>	Method not given	168
Propan-2-ol	EC ₅₀	> 100	<i>Scenedesmus quadricauda</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			
isotridecanol, ethoxylated		No data available			
2-aminoethanol		No data available			
monoethanolamine alkylbenzenesulphonate		No data available			
1-methoxy-2-propanol		No data available			
Propan-2-ol		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC ₁₀	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
isotridecanol, ethoxylated	EC ₁₀	> 10000	Bacteria	DIN 38412 / Part 8	17 hour(s)
2-aminoethanol	EC ₅₀	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
monoethanolamine alkylbenzenesulphonate		No data			

		available			
1-methoxy-2-propanol	EC ₅₀	1000	Activated sludge	Method not given	3 hour(s)
Propan-2-ol	EC ₅₀	> 1000	Activated sludge	Method not given	

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
isotridecanol, ethoxylated		No data available				
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
monoethanolamine alkylbenzenesulphonate		No data available				
1-methoxy-2-propanol		No data available				
Propan-2-ol		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
isotridecanol, ethoxylated	EC ₁₀	2.6	<i>Daphnia magna</i>	OECD 211, semi-static	21 day(s)	Effects on reproduction
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 202	21 day(s)	
monoethanolamine alkylbenzenesulphonate		No data available				
1-methoxy-2-propanol		No data available				
Propan-2-ol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
isotridecanol, ethoxylated		No data available				
2-aminoethanol		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	<i>Eisenia fetida</i>			
isotridecanol, ethoxylated	NOEC	220	<i>Eisenia fetida</i>			
2-aminoethanol		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	<i>Lepidium sativum</i>	OECD 208		
isotridecanol, ethoxylated	NOEC	10	<i>Lepidium sativum</i>	OECD 208		
Propan-2-ol		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
isotridecanol, ethoxylated		No data				

SUMA MULTI-CONC D2 CONC

		available				
2-aminoethanol		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
isotridecanol, ethoxylated		No data available				
2-aminoethanol		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
isotridecanol, ethoxylated		No data available				
2-aminoethanol		No data available				
Propan-2-ol		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
isotridecanol, ethoxylated	No data available			
1-methoxy-2-propanol	< 1 day(s)	Method not given	Rapidly photodegradable	
Propan-2-ol	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
isotridecanol, ethoxylated	No data available			
Propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
isotridecanol, ethoxylated		No data available			
Propan-2-ol		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
isotridecanol, ethoxylated		CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
monoethanolamine alkylbenzenesulphonate	Activated sludge, aerobe	CO ₂ production	89% in 29 day(s)	OECD 301B	Readily biodegradable
1-methoxy-2-propanol			96 % in 28 day(s)	OECD 301E	Readily biodegradable
Propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
isotridecanol, ethoxylated					No data available
Propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
isotridecanol, ethoxylated					No data available

SUMA MULTI-CONC D2 CONC

Propan-2-ol				No data available
-------------	--	--	--	-------------------

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	Not applicable.	Weight of evidence	No bioaccumulation expected	
isotridecanol, ethoxylated	No data available		No bioaccumulation expected	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
monoethanolamine alkylbenzenesulphonate	No data available			
1-methoxy-2-propanol	0.37	Method not given	Low potential for bioaccumulation	
Propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
isotridecanol, ethoxylated	No data available			No bioaccumulation expected	
2-aminoethanol	No data available				
monoethanolamine alkylbenzenesulphonate	No data available				
1-methoxy-2-propanol	3.2		Method not given	Low potential for bioaccumulation	
Propan-2-ol	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
isotridecanol, ethoxylated	No data available				Immobile in soil or sediment
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
monoethanolamine alkylbenzenesulphonate	No data available				
1-methoxy-2-propanol	No data available				High potential for mobility in soil
Propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:****Suitable cleaning agents:**

Dispose of observing national or local regulations.
Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number or ID number:** 2491**14.2 UN proper shipping name:**

Ethanolamine solution

SUMA MULTI-CONC D2 CONC

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.**14.7 Maritime transport in bulk according to IMO instruments:** The product is not transported in bulk tankers.**Other relevant information:**

Hazchem code: 2X

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.8 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.
Additional advice	• Does not contain added fragrance.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS3100445

Version: 02.0

Revision: 2026-06-01

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the

risks and apply control methods where appropriate.

Abbreviations and acronyms:

- ATE - Acute Toxicity Estimate
- AUH - Non GHS hazard statement
- DNEL - Derived No Effect Limit
- EC No. - European Community Number
- EC50 - effective concentration, 50%
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PNEC - Predicted No Effect Concentration
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)

End of Safety Data Sheet