

TASKI PROSTRIP HD

Revision: 2026-06-01

Version: 02.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: TASKI PROSTRIP HD

1.2 Recommended use and restrictions on use

Identified uses:

Stripper

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited
1612 Centre Road, Springvale,
VIC 3171, AUSTRALIA
Telephone: 1800 647 779 (toll free)

Product information:

Email: aucustserv@solenis.com

Website: products.solenis.com/en-AU

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B

Serious eye damage, Category 1

Acute toxicity, inhalation, Category 4

Corrosive to the respiratory tract

Specific target organ toxicity (single exposure), Category 3

Corrosive to metals, Category 1

2.2 Label elements



Signal word: Danger

Hazard statements:

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H332 - Harmful if inhaled.

AUH071 - Corrosive to the respiratory tract.

Prevention statement(s):

P233 - Keep container tightly closed.

P234 - Keep only in original packaging.

P260 - Do not breathe vapours.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

TASKI PROSTRIP HD

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

Storage statement(s):

P403 - Store in a well-ventilated place.

P405 - Store locked up.

P406 - Store in corrosive-resistant container with a resistant inner liner.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 25

Flammable liquids, Category 4

Specific target organ toxicity (single exposure), Category 3

Skin irritation, Category 2

Serious eye damage, Category 1

Corrosive to metals, Category 1

2.5 Label elements diluted product



Signal word: Danger.

Hazard statements:

H227 - Combustible liquid.

H335 - May cause respiratory irritation.

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H290 - May be corrosive to metals.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P234 - Keep only in original packaging.

P261 - Avoid breathing vapours.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P390 - Absorb spillage to prevent material damage.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P235 - Keep cool.

P405 - Store locked up.

P406 - Store in corrosive-resistant container with a resistant inner liner.

P501 - Dispose of unused content as chemical waste.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS#	EC number	Weight percent
2-butoxyethanol	111-76-2	203-905-0	10-30

TASKI PROSTRIP HD

2-aminoethanol	141-43-5	205-483-3	10-30
2-phenoxyethanol	122-99-6	204-589-7	3-10
sodium hydroxide	1310-73-2	215-185-5	1-3
sodium xylene sulphonate	1300-72-7	701-037-1	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information:

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTRE, doctor or physician. Call a POISON CENTRE, doctor or physician if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities:

Shower and eyewash facilities should be considered in a workplace where necessary. Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

Corrosive to the respiratory tract.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center:

Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

2X

2 - Fine water spray.

X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

TASKI PROSTRIP HD

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
2-butoxyethanol	20 ppm 96.9 mg/m ³	50 ppm 242 mg/m ³	
2-aminoethanol	3 ppm 7.5 mg/m ³	6 ppm 15 mg/m ³	
sodium hydroxide			2 mg/m ³

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (AS/NZS 1337.1). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) or full-face

TASKI PROSTRIP HD

mask (EN 136) with particle filter P2 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 25

Appropriate engineering controls: Use only in well ventilated areas.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (AS/NZS 1337.1).

Hand protection:

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605)

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical state: Liquid	
Colour: Clear , Yellow	
Odour: Solvent	
Odour threshold: Not applicable	
pH: ≥ 11.5 (neat)	ISO 4316
Dilution pH: > 11 (25 %)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): > 93 °C	closed cup
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Lower and upper explosion limit/flammability limit (%): Not determined	
Vapour pressure: Not determined	
Relative density: ≈ 1.02 (20 °C)	OECD 109 (EU A.3)
Relative vapour density: No data available.	Not relevant to classification of this product
Particle characteristics: No data available.	Not applicable to liquids.
Solubility in / Miscibility with water: Fully miscible	
Partition coefficient: n-octanol/water No information available.	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

Kinematic viscosity: Not determined

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

9.2 Other information

TASKI PROSTRIP HD

Surface tension (N/m): Not determined

Corrosion to metals: Corrosive

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, vapours (mg/l): 10

Substance data, where relevant and available, are listed below:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD ₅₀	1746	Rat	ATE - Acute Toxicity Estimate	
2-aminoethanol	LD ₅₀	1089	Rat	OECD 401 (EU B.1)	
2-phenoxyethanol	LD ₅₀	1840	Rat	OECD 401 (EU B.1)	
sodium hydroxide		No data available			
sodium xylene sulphonate	LD ₅₀	> 7200	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
2-butoxyethanol	LD ₅₀	6411		Method not given	
2-aminoethanol	LD ₅₀	2504	Rabbit	OECD 402 (EU B.3)	
2-phenoxyethanol	LD ₅₀	> 2214	Rabbit	Method not given	
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given	
sodium xylene sulphonate	LD ₅₀	> 2000	Rabbit	OECD 402 (EU B.3)	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC ₅₀	> 2 (mist) No mortality observed	Rat	Method not given	4
2-aminoethanol	LC ₅₀	> 1.4 No mortality observed	Rat	Method not given	4
2-phenoxyethanol	LC ₀	> 1 (mist)	Rat	Method not given	6
sodium hydroxide		No data			

TASKI PROSTRIP HD

		available			
sodium xylene sulphonate	LC ₅₀	> 6.41 (mist) No mortality observed	Rat	OECD 403 (EU B.2)	4

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
2-phenoxyethanol	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	
sodium xylene sulphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
2-phenoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	
sodium xylene sulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
2-phenoxyethanol	No data available			
sodium hydroxide	No data available			
sodium xylene sulphonate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
2-phenoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium hydroxide	Not sensitising		Human repeated patch test	
sodium xylene sulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
2-aminoethanol	No data available			
2-phenoxyethanol	No data available			
sodium hydroxide	No data available			
sodium xylene sulphonate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 (Chinese Hamster Ovary)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
2-phenoxyethanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

TASKI PROSTRIP HD

	test results	on rat hepatocytes OECD 473	test results	B.12) OECD 475 (EU B.11)
sodium xylene sulphonate	No evidence for mutagenicity, negative test results	OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
2-butoxyethanol	No evidence for carcinogenicity, negative test results
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence
2-phenoxyethanol	No evidence for carcinogenicity, weight-of-evidence
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
sodium xylene sulphonate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
2-phenoxyethanol			No data available				No evidence for reproductive toxicity No known significant effects or critical hazards
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
sodium xylene sulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol	NOAEL	300	Rat		75	
2-phenoxyethanol		No data available				
sodium hydroxide		No data available				
sodium xylene sulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
2-phenoxyethanol		No data available				
sodium hydroxide		No data available				
sodium xylene sulphonate	NOAEL	> 440		OECD 411 (EU B.28)	90	

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
2-aminoethanol		No data available				
2-phenoxyethanol		No data available				
sodium hydroxide		No data available				
sodium xylene sulphonate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
---------------	-------------------	----------	-----------------------	---------	--------	------------------	---	--------

TASKI PROSTRIP HD

2-butoxyethanol			No data available					
2-aminoethanol			No data available					
2-phenoxyethanol			No data available					
sodium hydroxide			No data available					
sodium xylene sulphonate	Oral		No data available	Rat	OECD 453 (EU B.33)	24 month(s)	No adverse effects observed	

STOT-single exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	Respiratory tract
2-phenoxyethanol	No data available
sodium hydroxide	No data available
sodium xylene sulphonate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
2-aminoethanol	No data available
2-phenoxyethanol	No data available
sodium hydroxide	No data available
sodium xylene sulphonate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC ₅₀	> 100	<i>Oncorhynchus mykiss</i>	OECD 203, static	96
2-aminoethanol	LC ₅₀	349	<i>Cyprinus carpio</i>	OECD 203, semi-static	96
2-phenoxyethanol	LC ₅₀	344	<i>Pimephales promelas</i>	Method not given	96
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96
sodium xylene sulphonate	LC ₅₀	> 1000	<i>Oncorhynchus mykiss</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC ₅₀	> 100	<i>Daphnia magna</i> Straus	OECD 202, static	48
2-aminoethanol	EC ₅₀	27.04	<i>Daphnia magna</i> Straus	OECD 202, static	48
2-phenoxyethanol	EC ₅₀	> 500	<i>Daphnia magna</i> Straus	Method not given	48
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia</i> sp.	Method not given	48
sodium xylene sulphonate	EC ₅₀	> 1000	<i>Daphnia</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC ₅₀	> 100	<i>Pseudokirchneriella</i>	OECD 201, static	72

TASKI PROSTRIP HD

			<i>subcapitata</i>		
2-aminoethanol	EC ₅₀	2.8	<i>Selenastrum capricornutum</i>	OECD 201 (EU C.3)	72
2-phenoxyethanol	EC ₅₀	> 500	<i>Desmodesmus subspicatus</i>	DIN 38412, Part 9	72
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25
sodium xylene sulphonate	EC ₅₀	> 230	<i>Not specified</i>	EPA OPPTS 850.5400	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-butoxyethanol		No data available			
2-aminoethanol		No data available			
2-phenoxyethanol		No data available			
sodium hydroxide		No data available			
sodium xylene sulphonate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC ₀	700	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
2-aminoethanol	EC ₅₀	> 1000	<i>Activated sludge</i>	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
2-phenoxyethanol	EC ₂₀	620	<i>Activated sludge</i>	ISO 8192	0.5 hour(s)
sodium hydroxide		No data available			
sodium xylene sulphonate	E _r C ₅₀	> 1000	<i>Activated sludge</i>	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	> 100	<i>Danio rerio</i>	OECD 204	21 day(s)	
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	
2-phenoxyethanol	NOEC	23	<i>Pimephales promelas</i>	Method not given	34 day(s)	
sodium hydroxide		No data available				
sodium xylene sulphonate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	100	<i>Daphnia magna</i>	OECD 211	21 day(s)	
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 202	21 day(s)	
2-phenoxyethanol	NOEC	9.43	<i>Daphnia magna</i>	OECD 211	21 day(s)	
sodium hydroxide		No data available				
sodium xylene sulphonate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity

TASKI PROSTRIP HD

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				
2-phenoxyethanol	LD ₅₀	1000	<i>Eisenia fetida</i>	OECD 207	14	
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-phenoxyethanol	EC ₅₀	34	<i>Brassica napus</i>	OECD 208	19	
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				
2-phenoxyethanol		147	<i>Not specified</i>	OECD 217	7	
sodium hydroxide		No data available				

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
2-butoxyethanol		CO ₂ production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
2-phenoxyethanol		COD removal	90 % in 28 day(s)	OECD 301F	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)
sodium xylene sulphonate	Activated sludge, aerobe	CO ₂ production	99.8 % in 28 day(s)	OECD 301B	Readily biodegradable

TASKI PROSTRIP HD

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hydroxide					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
2-phenoxyethanol	1.2	OECD 107	No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
sodium xylene sulphonate	-3.12	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
2-aminoethanol	No data available				
2-phenoxyethanol	0.35		Method not given	No bioaccumulation expected	
sodium hydroxide	No data available				
sodium xylene sulphonate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
2-phenoxyethanol	40.74	No data available	Method not given		High potential for mobility in soil
sodium hydroxide	No data available				Mobile in soil
sodium xylene sulphonate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information

TASKI PROSTRIP HD

ADG, IMO/IMDG, ICAO/IATA**14.1 UN number or ID number:** 1760**14.2 UN proper shipping name:**

Corrosive liquid, n.o.s. (sodium hydroxide , ethanolamine)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.**14.7 Maritime transport in bulk according to IMO instruments:** The product is not transported in bulk tankers.**Other relevant information:****Hazchem code:** 2X**IMO/IMDG****EmS:** F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.8 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.
Additional advice	• Does not contain added fragrance.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS3100910**Version:** 02.0**Revision:** 2026-06-01**Reason for revision:**

This data sheet contains changes from the previous version in section(s): 2, 4, 6, 7, 8, 9, 10, 14, 15

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

TASKI PROSTRIP HD

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- ATE - Acute Toxicity Estimate
- AUH - Non GHS hazard statement
- DNEL - Derived No Effect Limit
- EC No. - European Community Number
- EC50 - effective concentration, 50%
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PNEC - Predicted No Effect Concentration
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)

End of Safety Data Sheet