

TASKFORCE

Revision: 2026-06-01

Version: 01.2

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: TASKFORCE

1.2 Recommended use and restrictions on use

Identified uses:

Cleaner and commercial grade disinfectant

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited
1612 Centre Road, Springvale,
VIC 3171, AUSTRALIA
Telephone: 1800 647 779 (toll free)

Product information:

Email: aucustserv@solenis.com

Website: products.solenis.com/en-AU

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Serious eye damage, Category 1

Skin irritation, Category 2

2.2 Label elements



Signal word: Danger

Hazard statements:

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Prevention statement(s):

P233 - Keep container tightly closed.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

2.4 Classification diluted product:

Recommended maximum concentration (% w/w): 4.8

Not classified as hazardous

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS#	EC number	Weight percent
n-alkyl dimethyl benzyl ammonium chloride	68424-85-1	270-325-2	1-3
Alcohols, C12-14, ethoxylated	68439-50-9	500-213-3	1-3

Non-hazardous ingredients are the remainder and add up to 100%.

[4] Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes irritation.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code*None allocated***SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

TASKFORCE

Absorb with liquid-binding material (sand, diatomite, universal binders).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (AS/NZS 1337.1).

Hand protection:

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 4.8

Appropriate engineering controls: Use only in well ventilated areas.

Appropriate organisational controls: No special requirements under normal use conditions.

TASKFORCE

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321).

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection: No special requirements under normal use conditions

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state: Liquid

Colour: Clear , Green

Odour: Slightly perfumed

Odour threshold: Not applicable

pH: $\approx$ 12.8 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Method / remark

Not relevant to classification of this product

Flammability (liquid): Not determined.

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Lower and upper explosion limit/flammability limit (%): Not determined

Vapour pressure: Not determined

Relative density: $\approx$ 1.04 (20 °C)

Relative vapour density: Not determined.

Particle characteristics: No data available.

Solubility in / Miscibility with water: Fully miscible

Partition coefficient: n-octanol/water No information available.

Not relevant to classification of this product

Not applicable to liquids.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

Kinematic viscosity: Not determined

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals: Not corrosive

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

TASKFORCE

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

ATE - Dermal (mg/kg): >5000

Skin irritation and corrosivity

Result: Skin irritant 2

Method: Bridging

Eye irritation and corrosivity

Result: Eye damage 1

Method: Bridging

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	LD ₅₀	304.5	Rat		
Alcohols, C12-14, ethoxylated		No data available			
disodium metasilicate	LD ₅₀	770 - 820	Mouse	Method not given	ECHA Dossier 2020

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	LD ₅₀	3412	Rabbit	Method not given	
Alcohols, C12-14, ethoxylated		No data available			
disodium metasilicate	LD ₅₀	> 5000	Rat Guinea pig	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride		No data available			
Alcohols, C12-14, ethoxylated		No data available			
disodium metasilicate	LC ₅₀	> 2.06	Rat	Method not given	

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	Corrosive	Rabbit	Method not given	
Alcohols, C12-14, ethoxylated	No data available			
disodium metasilicate	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	Severe damage		Method not given	
Alcohols, C12-14, ethoxylated	No data available			
disodium metasilicate	Corrosive		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	No data available			
Alcohols, C12-14, ethoxylated	No data available			
disodium metasilicate	Irritating to respiratory tract		Method not given	

Sensitisation

TASKFORCE

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
Alcohols, C12-14, ethoxylated	No data available			
disodium metasilicate	Not sensitising	Mouse	OECD 429 (EU B.42)	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	No data available			
Alcohols, C12-14, ethoxylated	No data available			
disodium metasilicate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
n-alkyl dimethyl benzyl ammonium chloride	No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
Alcohols, C12-14, ethoxylated	No data available		No data available	
disodium metasilicate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
n-alkyl dimethyl benzyl ammonium chloride	No data available
Alcohols, C12-14, ethoxylated	No data available
disodium metasilicate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
n-alkyl dimethyl benzyl ammonium chloride			No data available				
Alcohols, C12-14, ethoxylated			No data available				
disodium metasilicate			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Alcohols, C12-14, ethoxylated		No data available				
disodium metasilicate	NOAEL	> 227 - 237	Rat	Method not given		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Alcohols, C12-14, ethoxylated		No data available				
disodium metasilicate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Alcohols, C12-14, ethoxylated		No data available				
disodium metasilicate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
---------------	----------------	----------	--------------------	---------	--------	---------------	--------------------------------------	--------

TASKFORCE

n-alkyl dimethyl benzyl ammonium chloride			No data available					
Alcohols, C12-14, ethoxylated			No data available					
disodium metasilicate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
n-alkyl dimethyl benzyl ammonium chloride	No data available
Alcohols, C12-14, ethoxylated	No data available
disodium metasilicate	Respiratory tract

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
n-alkyl dimethyl benzyl ammonium chloride	No data available
Alcohols, C12-14, ethoxylated	No data available
disodium metasilicate	Not applicable

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	LC ₅₀	0.515	<i>Fish</i>	Method not given	96
Alcohols, C12-14, ethoxylated		No data available			
disodium metasilicate	LC ₅₀	210	<i>Brachydanio rerio</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	EC ₅₀	0.016	<i>Daphnia</i>	Method not given	48
Alcohols, C12-14, ethoxylated		No data available			
disodium metasilicate	EC ₅₀	1700	<i>Daphnia</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
n-alkyl dimethyl benzyl ammonium chloride	EC ₅₀	0.02	<i>Selenastrum capricornutum</i>	OECD 201 (EU C.3)	72
Alcohols, C12-14, ethoxylated		No data available			
disodium metasilicate	EC ₅₀	207	<i>Chlorella pyrenoidosa</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
n-alkyl dimethyl benzyl ammonium chloride		No data available			
Alcohols, C12-14, ethoxylated		No data available			
disodium metasilicate		No data available			

TASKFORCE

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
n-alkyl dimethyl benzyl ammonium chloride	EC ₂₀	5	Activated sludge	OECD 209	0.5 hour(s)
Alcohols, C12-14, ethoxylated		No data available			
disodium metasilicate	EC ₅₀	> 100	Activated sludge	Method not given	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Alcohols, C12-14, ethoxylated		No data available				
disodium metasilicate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
n-alkyl dimethyl benzyl ammonium chloride	NOEC	0.025	<i>Daphnia magna</i>	OECD 211	21 day(s)	
Alcohols, C12-14, ethoxylated		No data available				
disodium metasilicate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				

12.2 Persistence and degradability**Abiotic degradation**

TASKFORCE

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
n-alkyl dimethyl benzyl ammonium chloride	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
n-alkyl dimethyl benzyl ammonium chloride	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
n-alkyl dimethyl benzyl ammonium chloride		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
n-alkyl dimethyl benzyl ammonium chloride		Oxygen depletion	> 60%	Read across	Readily biodegradable
Alcohols, C12-14, ethoxylated				OECD 301F	Readily biodegradable
disodium metasilicate					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
n-alkyl dimethyl benzyl ammonium chloride					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
n-alkyl dimethyl benzyl ammonium chloride					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
n-alkyl dimethyl benzyl ammonium chloride	0.004	Method not given	No bioaccumulation expected	at 20 °C
Alcohols, C12-14, ethoxylated	No data available			
disodium metasilicate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
n-alkyl dimethyl benzyl ammonium chloride	79	<i>Lepomis macrochirus</i>		Low potential for bioaccumulation	
Alcohols, C12-14, ethoxylated	No data available				
disodium metasilicate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
n-alkyl dimethyl benzyl ammonium chloride	No data available				
Alcohols, C12-14, ethoxylated	No data available				
disodium metasilicate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

TASKFORCE

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

ADG, IMO/IMDG, ICAO/IATA

- 14.1 UN number or ID number: Non-dangerous goods
 14.2 UN proper shipping name: Non-dangerous goods
 14.3 Transport hazard class(es): Non-dangerous goods
 14.4 Packing group: Non-dangerous goods
 14.5 Environmental hazards: Non-dangerous goods
 14.6 Special precautions for user: Non-dangerous goods
 14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

Hazchem code: None allocated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	Classified as a Schedule 5 (S5) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS3100496

Version: 01.2

Revision: 2026-06-01

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration

TASKFORCE

- LD50 - Lethal Dose, 50% / Median Lethal dose
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number

End of Safety Data Sheet